


Express Line: Challenger 15° Slope Front Easy Order Form



First, specify the frame dimensions, then cover the six sides:

Slope Panel Height (overall frame height) Overall Frame Depth

___ 17 5/8" (47 7/8")
___ 21 1/8" (51 3/8")

___ 25 1/2"
___ 30 3/4"

Panel Width

___ 19 1/16"

Frame Quantity and Assembly Style:

___ Single Frame

___ Multiple Frames in Line:

1	2	3	4
---	---	---	---

Number of Frames: ____

Cover the top of the frame:

Panel Type - Choose one

___ Screw Fastened
___ Not required

Panel Style - Choose one

___ Plain
___ Louvered

Cover the bottom of the frame:

Panel Style - Choose one

___ Plain
___ Not required

Cover the left side of the frame:

Panel Type - Choose one

___ Screw Fastened
___ Not required

Panel Style - Choose one

___ Plain
___ Louvered at bottom

Cover the right side of the frame:

Panel Type - Choose one

___ Screw Fastened
___ Not required

Panel Style - Choose one

___ Plain
___ Louvered at bottom

Cover the slope front of the frame:

Panel Type - Choose one

___ Formed Panel, Plain
___ Flat Panel, Plain
Choose one: ___ Steel ___ Aluminum
___ Not required

Cover the lower front of the frame:

Door or Panel Type - Choose one

Door or Panel Style - Choose one

- Face Mtd Door Hinged at Left*
- Face Mtd Door Hinged at Right*
- Screw Fastened Panel
- Not required

- Plain
- Louvered at top
- Louvered at bottom
- Louvered at top & bottom
- Louvered fully

* Door not available if mounting a laminated console shelf.

If specifying a door, do you require a lock? Yes No

Cover the rear of the frame:

Door or Panel Type - Choose one

Door or Panel Style - Choose one

- Face Mtd Door Hinged at Left
- Face Mtd Door Hinged at Right
- Screw Fastened Panel
- Not required

- Plain
- Louvered at top
- Louvered at bottom
- Louvered at top & bottom
- Louvered fully

If specifying a door, do you require a lock? Yes No

Is a base required?

Base Type - Choose one

For a caster base, please choose one (four casters per base):

- Flush Base
- Caster Base
- Not Required

- 200 lbs per caster
- 400 lbs per caster

Specify the frame finish and laminate colors:

Colors - Mark with an "X" for frame color and "O" for panels & doors

Finish Type - Choose one

- Grey (104) [ANSI-61]
- Dove Grey (041)
- Light Grey (013)
- Charcoal Grey (001)
- Satin Black (051)
- Beige (002)
- Royal Blue (101)
- Prime Only

- Textured (recommended)
- Smooth

Laminate Colors - Choose one if required

- Eggshel
- Walnut
- Oak

Other colors may be available. Please consult the factory.

Specify any accessories:

Panels - Choose as required:

- Formed Instrument Panel - Express Sizes: 1.75" thru 78.75"
_____ inches high - Choose one:
 - Plain
 - Louvered

- Flat Instrument Panel - Express sizes: 1.75" thru 28"
_____ inches high - Choose one:
 - Steel
 - Aluminum

Equipment Mounting - Choose as required:

- Chassis Guides (pr)
- Panel Shims (pr) _____ inches high
- Tapped Panel Mounting Angles
- Ball Bearing Slides (pr - for mounting your equipment)

Shelves - Choose as required:

- Equipment Shelf, Plain
- Console Shelf, Laminated, 18.5" deep

Miscellaneous Accessories - Choose as required:

- Wired Plugmold

Hardware - Choose as required:

- Screws for flat panels - Qty _____
- Screws for formed panels - Qty _____
- Speed Nuts - Qty _____
- Joining Channel (to attach frames front to rear)

Drawers - Choose as required:

- Storage Drawer - Choose one:
 - 7" inches high
 - 8.75" inches high
 - 10.50" inches high

Where should we send the quote?

Your Name _____
Title _____
Phone _____
Fax _____
E-mail _____

Company Name _____
Address _____

City _____
State _____ Zip Code _____

**Please fax this form to us at 630.897.5314 and we will respond with a quote as soon as possible.
We offer many more products, options and services !
Please contact us at 630.897.4691 if you have any questions or would like additional information.**

Do you have any questions or is there anything else we can do for you?

