


Heavy Duty Slope Frame Easy Order Form

First, specify the frame dimensions, then cover the six sides:



Choose 15° or 30° Slope Front:

Overall Frame Depth

- ___ 15° Slope Front
 Choose the Panel Height (overall height)
 ___ 21 1/8" (51 27/32")
 ___ 28 1/8" (58 41/64")
 ___ 35 1/8" (65 3/8")

- ___ 24 1/16"
 ___ 29 1/16"
 ___ Other - Contact factory .

- ___ 30° Slope Front
 Choose the Panel Height (overall height)
 ___ 14 1/8" (43 5/32")
 ___ 17 5/8" (58 3/16")
 ___ 21 1/8" (49 7/32")

- Panel Width
 ___ 19 1/16"
 ___ 24 1/16"
 ___ 30 1/16"



Are lift eye bolts required for this frame? ___ Yes ___ No

Frame Quantity and Assembly Style:

___ Single Frame

___ Angular Assembly

___ Multiple Frames in Line:



Number of Frames: ___

Choose the angle: ___ 30° ___ 45° ___ 60°

Cover the top of the frame:

Panel Type - Choose one

- ___ Screw Fastened
 ___ Latch Fastened (not available in all sizes)
 ___ Plastic Laminate Color _____
 ___ With Fan (please contact factory)
 ___ Not required

Panel Style - Choose one

- ___ Plain
 ___ Louvered
 ___ Grilled
 ___ Grilled with filter (screw fastened panels only)

Cover the bottom of the frame:

Panel Style - Choose one

- ___ Plain
 ___ Grilled
 ___ Grilled with filter
 ___ Not required

Cover the rear of the frame:

Door or Panel Type - Choose one

- ___ Door Hinged at Left
 ___ Door Hinged at Right
 ___ Screw Fastened Panel
 ___ Latch Fastened Panel
 ___ Latch Fastened Panel with locks
 ___ Not required

Door or Panel Style - Choose one

- ___ Plain
 ___ Louvered at top
 ___ Louvered at bottom
 ___ Louvered at top & bottom
 ___ Louvered fully
 ___ Grilled at top
 ___ Grilled at bottom
 ___ Grilled at top & bottom
 ___ Acrylic Window (doors only)

If specifying a grill, do you require a filter? ___ Yes ___ No

Cover the lower front of the frame:

Door or Panel Type - Choose one

- ___ Door Hinged at Left
 ___ Door Hinged at Right
 ___ Screw Fastened Panel
 ___ Latch Fastened Panel
 ___ Latch Fastened Panel with locks
 ___ Not required

Door or Panel Style - Choose one

- ___ Plain
 ___ Louvered at top
 ___ Louvered at bottom
 ___ Louvered at top & bottom
 ___ Louvered fully
 ___ Grilled at top
 ___ Grilled at bottom
 ___ Grilled at top & bottom
 ___ Acrylic Window (doors only)

If specifying a grill, do you require a filter? ___ Yes ___ No

Cover the slope front of the frame:

Panel Type - Choose one

- Formed Panel, Plain
- Flat Panel, Plain
- Choose one: Steel Aluminum
- Flush Filler Panel
- Not required

Cover the left side of the frame:

Panel Type - Choose one

Panel Style - Choose one

- Screw Fastened
 - Latch Fastened
 - Latch Fastened with Locks
 - Hinged at rear
 - Not required
 - Plain
 - Louvered at bottom
 - Grilled at bottom
- If specifying a grill, do you require a filter? (Filters are available on latch panels only.) Yes No

Cover the right side of the frame:

Panel Type - Choose one

Panel Style - Choose one

- Screw Fastened
 - Latch Fastened
 - Latch Fastened with Locks
 - Hinged at rear
 - Not required
 - Plain
 - Louvered at bottom
 - Grilled at bottom
- If specifying a grill, do you require a filter? (Filters are available on latch panels only.) Yes No

Is a base required?

Base Type - Choose one

For recessed and flush bases, choose from the following as needed:

For a caster base, please choose one (four casters per base):

- Standard Recessed Base
- Flush Base
- Caster Base
- Flush Truck
- Extended Truck
- Flush Dolly
- Extended Dolly
- Not required
- Leveling glides
- Anti-tip legs
- Provision for duplex outlet
- 200 lbs per caster
- 400 lbs per caster

For trucks or dollies, please choose one:

For dollies, please choose one:

- All swivel casters
- Swivel in front, rigid in rear
- Rigid in front, swivel in rear
- All locking casters
- Locking in front
- Locking in rear

For trucks or dollies, please choose one:

If specifying a truck, would you like floor locks? Yes No

- Self lubricating casters (300 lbs per caster)
- Roller bearing casters (550 lbs per caster)

Specify the frame finish and laminate colors:

Colors - Mark with an "X" for frame color and "O" for panels & doors

Finish Type - Choose one

- Grey (104) [ANSI-61]
- Dove Grey (041)
- Light Grey (013)
- Charcoal Grey (001)
- Satin Black (051)
- Beige (002)
- Royal Blue (101)
- Fed Std 595 _____
(Specify 595A or 595B)
- Other (paint chip required) _____
- Prime Only

- Textured (recommended)
- Smooth

Laminate Colors - Choose one if required

- Eggshell
- Walnut
- Oak
- Static Control (Of f White)
- Other _____

Specify any accessories:

Panels - Choose as required:

- Flush Filler Panel _____ inches high - Choose one:
 - Plain
 - Louvered
 - Grilled
 - Grilled with filter
- Formed Instrument Panel _____ inches high - Choose one:
 - Plain
 - Louvered
 - Grilled
 - Perforated
- Flat Instrument Panel _____ inches high - Choose one:
 - Steel
 - Aluminum

Shelves - Choose as required:

- Equipment Shelf
 - Choose one: Plain Grilled
- Sliding Shelf
 - Choose one: Plain Grilled
- Modem Shelf
 - Choose one: Plain Grilled
 - Choose depth: 14" 18 1/2"
- Console Shelf
 - Choose one: Laminated Steel Frame
 - For steel frame, choose an insert panel:
 - Steel Laminate

Drawers - Choose as required:

- Equipment Drawer _____ inches high
 - Choose one: Flush Recessed
 - Is a latch required? Yes No
- Storage Drawer _____ inches high
- Hinged Drawer Shelf - Laminate Color _____

Miscellaneous Accessories - Choose as required:

- Grounding Bus Bar
- Wired Plugmold
- Aluminum T rim Kit
 - Plain Satin
 - Black Inlay
 - W alnut Inlay
- Dust and Moisture Gasketing - Choose one
 - Installed
 - Not Installed
- Turret with _____ inch front opening
 - Choose one: Single Slope Double slope
 - Choose one: Horizontal Mount V ertical Mount

Equipment Mounting - Choose as required:

- Chassis Guides (pr)
- Slope Chassis Guides (pr)
- Panel Shims (pr) _____ inches high
- Tapped Panel Mounting Angles
- Mounting Adapter (pr - for 19" equipment in 24" panel width)
- Mounting Adapter (pr - for 23" equipment in 24" panel width)
- Ball Bearing Slides (pr - for mounting your equipment)

Hardware - Choose as required:

- Screws for flat panels - Qty _____
- Screws for formed panels - Qty _____
- Speed Nuts - Qty _____
- Joining Studs (to attach frames side by side)
- Joining Channel (to attach frames front to rear)
- Flush Drop Handles (for doors)

Where should we send the quote?

Your Name _____
 Title _____
 Phone _____
 Fax _____
 E-mail _____

Company Name _____
 Address _____

 City _____
 State _____ Zip Code _____

**Please fax this form to us at 630.897.5314 and we will respond with a quote as soon as possible.
 We offer many more products, options and services !
 Please contact us at 630.897.4691 if you have any questions or would like additional information.**

Do you have any questions or is there anything else we can do for you?

